

(including worksheets for the supplemental question, all activities, trapping, hunting without hounds, and hunting with hounds)

Worksheet: Response rates

Column	Definition
License_Holders	Number of furbearer licenses issued
Section	Individual portions of the survey: supplemental questions, all activities, trapping, hunting without hounds, or hunting with hounds
Question	The question on the survey section: number of trappers, trapper days, etc.
Species	Species of furbearer (not in the supplemental question section)
Sample_Size	How many were sampled
Responses	How many useable responses were returned
Response_Rate	Responses divided by sample size

Worksheet: Supplemental question results

Column	Definition
Location	State, trapping district, or county (counties are alphabetical within each trapping district)
Decreasing	Proportion of furbearer license holders that have experience in a given area and think bobcat density is decreasing in that area
Decreasing.SE	Standard error for the proportion of furbearer license holders that have experience in a given area and think bobcat density is decreasing in that area
Stable	Proportion of furbearer license holders that have experience in a given area and think bobcat density is stable in that area
Stable.SE	Standard error for the proportion of furbearer license holders that have experience in a given area and think bobcat density is stable in that area
Increasing	Proportion of furbearer license holders that have experience in a given area and think bobcat density is increasing in that area
Increasing.SE	Standard error for the proportion of furbearer license holders that have experience in a given area and think bobcat density is increasing in that area

Worksheet: All activity results

Column	Definition
Location	State, trapping district, or county (counties are alphabetical within each trapping district and species)
Species	Furbearer species, including unknown species
Active	Number of license holders that trapped or hunted furbearers (with or without hounds)
Active.SE	Standard error for the number of license holders that trapped or hunted (with or without hounds)
Activity.days	Number of days spent trapping or hunting furbearers (with or without hounds)
Activity.days.SE	Standard error for the number of days spent trapping or hunting furbearers (with or without hounds)
Days.per.Trapper	Ratio of the number of activity days to the number of license holders that trapped or hunted furbearers (with or without hounds)
Days.per.Trapper.SE	Standard error for the ratio of the number of activity days to the number of license holders that trapped or hunted furbearers (with or without hounds)
Total.harvest	Number of furbearers harvested
Total.harvest.SE	Standard error for the number of furbearers harvested
Mean.harvest	Ratio of the number of furbearers harvested to the number of license holders that trapped or hunted furbearers (with or without hounds)

Mean.harvest.SE	Standard error for the ratio of the number of furbearers harvested to the number of license holders that trapped or hunted furbearers (with or without hounds)
Successful.trappers	Number of license holders that trapped or hunted furbearers (with or without hounds) and harvested at least one furbearer
Successful.trappers.SE	Standard error for the number of license holders that trapped or hunted furbearers (with or without hounds) and harvested at least one furbearer
Percent.success	Ratio of the number of license holders that trapped or hunted furbearers (with or without hounds) and harvested at least one furbearer to the total number of license holders that trapped or hunted furbearers (with or without hounds)
Percent.success.SE	Standard error for the ratio of the number of license holders that trapped or hunted furbearers (with or without hounds) and harvested at least one furbearer to the total number of license holders that trapped or hunted furbearers (with or without hounds)
Percent.composition.harvest	Ratio of the total harvest of a particular species to the total harvest of all furbearer species in given location
Percent.composition.harvest.SE	Standard error for the ratio of the total harvest of a particular species to the total harvest of all furbearer species in given location
harvest.1.pct	Percent of successful license holders that harvested 1 animal
harvest.1.pct.SE	Standard error for the percent of successful license holders that harvested 1 animal
harvest.2-3.pct	Percent of successful license holders that harvested 2-3 animals
harvest.2-3.pct.SE	Standard error for the percent of successful license holders that harvested 2-3 animals
harvest.4-6.pct	Percent of successful license holders that harvested 4-6 animals
harvest.4-6.pct.SE	Standard error for the percent of successful license holders that harvested 4-6 animals
harvest.7-10.pct	Percent of successful license holders that harvested 7-10 animals
harvest.7-10.pct.SE	Standard error for the percent of successful license holders that harvested 7-10 animals
harvest.11-15.pct	Percent of successful license holders that harvested 11-15 animals
harvest.11-15.pct.SE	Standard error for the percent of successful license holders that harvested 11-15 animals
harvest.16-21.pct	Percent of successful license holders that harvested 16-21 animals
harvest.16-21.pct.SE	Standard error for the percent of successful license holders that harvested 16-21 animals
harvest.22-29.pct	Percent of successful license holders that harvested 22-29 animals
harvest.22-29.pct.SE	Standard error for the percent of successful license holders that harvested 22-29 animals
harvest.>29.pct	Percent of successful license holders that harvested 30 or more animals
harvest.>29.pct.SE	Standard error for the percent of successful license holders that harvested 30 or more animals

Worksheet: Trapping results

<u>Column</u>	<u>Definition</u>
Location	State, trapping district, or county (counties are alphabetical within each trapping district and species)
Species	Furbearer species, including unknown species
Active.Trappers	Number of license holders that trapped furbearers
Active.Trappers.SE	Standard error for the number of license holders that trapped furbearers
Activity.days	Number of days spent trapping furbearers
Activity.days.SE	Standard error for the number of days spent trapping furbearers
Days.per.Trapper	Ratio of the number of activity days to the number of license holders that trapped furbearers
Days.per.Trapper.SE	Standard error for the ratio of the number of activity days to the number of license holders that trapped furbearers
Traps.set	Number of traps set
Traps.set.SE	Standard error for the number of traps set
Traps.per.Trapper	Ratio of the number of traps set to the number of active trappers

Traps.per.Trapper.SE	Standard error for the ratio of the number of traps set to the number of active trappers
Trap.days	Total number of traps open for the total number of days they were open (one trap day is one trap open for one day)
Trap.days.SE	Standard error for the total number of traps open for the total number of days they were open
Trapdays.per.Trapper	Ratio of the number of trap days to the number of trappers
Trapdays.per.Trapper.SE	Standard error for the ratio of the number of trap days to the number of trappers
Total.harvest	Number of furbearers trapped
Total.harvest.SE	Standard error for the number of furbearers trapped
Mean.harvest	Ratio of the number of furbearers trapped to the number of trappers
Mean.harvest.SE	Standard error for the ratio of the number of traps set to the number of active trappers
Trapdays.per.harvest	Ratio of the number of trap days to the number of furbearers trapped
Trapdays.per.harvest.SE	Standard error for the ratio of the number of trap days to the number of furbearers trapped
Successful.trappers	Number of trappers that trapped at least one furbearer
Successful.trappers.SE	Standard error for the number of trappers that trapped at least one furbearer
Percent.success	Ratio of the number of trappers that trapped at least one furbearer to the total number of trappers
Percent.success.SE	Standard error for the ratio of the number of trappers that trapped at least one furbearer to the total number of trappers
Percent.composition.harvest	Ratio of the total trapping harvest of a particular species to the total trapping harvest of all furbearer species in given location
Percent.composition.harvest.SE	Standard error for the ratio of the total trapping harvest of a particular species to the total trapping harvest of all furbearer species in given location
harvest.1.pct	Percent of successful trappers that trapped 1 animal
harvest.1.pct.SE	Standard error for the percent of successful trappers that trapped 1 animal
harvest.2-3.pct	Percent of successful trappers that trapped 2-3 animals
harvest.2-3.pct.SE	Standard error for the percent of successful trappers that trapped 2-3 animals
harvest.4-6.pct	Percent of successful trappers that trapped 4-6 animals
harvest.4-6.pct.SE	Standard error for the percent of successful trappers that trapped 4-6 animals
harvest.7-10.pct	Percent of successful trappers that trapped 7-10 animals
harvest.7-10.pct.SE	Standard error for the percent of successful trappers that trapped 7-10 animals
harvest.11-15.pct	Percent of successful trappers that trapped 11-15 animals
harvest.11-15.pct.SE	Standard error for the percent of successful trappers that trapped 11-15 animals
harvest.16-21.pct	Percent of successful trappers that trapped 16-21 animals
harvest.16-21.pct.SE	Standard error for the percent of successful trappers that trapped 16-21 animals
harvest.22-29.pct	Percent of successful trappers that trapped 22-29 animals
harvest.22-29.pct.SE	Standard error for the percent of successful trappers that trapped 22-29 animals
harvest.>29.pct	Percent of successful trappers that trapped 30 or more animals
harvest.>29.pct.SE	Standard error for the percent of successful trappers that trapped 30 or more animals

Worksheet: Hunting without hounds results

<u>Column</u>	<u>Definition</u>
Location	State, trapping district, or county (counties are alphabetical within each trapping district and species)
Species	Furbearer species, including unknown species
Active.hunters	Number of license holders that hunted furbearers without hounds
Active.hunters.SE	Standard error for the number of license holders that hunted furbearers without hounds
Hunter.days	Number of days spent hunting furbearers without hounds
Hunter.days.SE	Standard error for the number of days spent hunting furbearers without hounds

Days.per.Hunter	Ratio of the number of hunter days (without hounds) to the number of license holders that hunted furbearers without hounds
Days.per.Hunter.SE	Standard error for the ratio of the number of hunter days (without hounds) to the number of license holders that hunted furbearers without hounds
Total.harvest	Number of furbearers harvested by hunting without hounds
Total.harvest.SE	Standard error for the number of furbearers harvested by hunting without hounds
Mean.harvest	Ratio of the number of furbearers harvested by hunting without hounds to the number of license holders that hunted furbearers without hounds
Mean.harvest.SE	Standard error for the ratio of the number of furbearers harvested by hunting without hounds to the number of license holders that hunted furbearers without hounds
Successful.hunters	Number of license holders that hunted furbearers without hounds and harvested at least one furbearer
Successful.hunters.SE	Standard error for the number of license holders that hunted furbearers without hounds and harvested at least one furbearer
Percent.success	Ratio of the number of license holders that hunted furbearers without hounds and harvested at least one furbearer to the total number of license holders that hunted furbearers without hounds
Percent.success.SE	Standard error for the ratio of the number of license holders that hunted furbearers without hounds and harvested at least one furbearer to the total number of license holders that hunted furbearers without hounds
Percent.composition.harvest	Ratio of the total harvest of a particular species by hunting with hounds to the total harvest of all furbearer species due to hunting with hounds in given location
Percent.composition.harvest.SE	Standard error for the ratio of the total harvest of a particular species by hunting with hounds to the total harvest of all furbearer species due to hunting with hounds in given location
harvest.1.pct	Percent of successful hunters (without hounds) that harvested 1 animal
harvest.1.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 1 animal
harvest.2-3.pct	Percent of successful hunters (without hounds) that harvested 2-3 animals
harvest.2-3.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 2-3 animals
harvest.4-6.pct	Percent of successful hunters (without hounds) that harvested 4-6 animals
harvest.4-6.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 4-6 animals
harvest.7-10.pct	Percent of successful hunters (without hounds) that harvested 7-10 animals
harvest.7-10.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 7-10 animals
harvest.11-15.pct	Percent of successful hunters (without hounds) that harvested 11-15 animals
harvest.11-15.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 11-15 animals
harvest.16-21.pct	Percent of successful hunters (without hounds) that harvested 16-21 animals
harvest.16-21.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 16-21 animals
harvest.22-29.pct	Percent of successful hunters (without hounds) that harvested 22-29 animals
harvest.22-29.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 22-29 animals
harvest.>29.pct	Percent of successful hunters (without hounds) that harvested 30 or more animals
harvest.>29.pct.SE	Standard error for the percent of successful hunters (without hounds) that harvested 30 or more animals

Worksheet: Hunting with hounds results

<u>Column</u>	<u>Definition</u>
Location	State, trapping district, or county (counties are alphabetical within each trapping district and species)
Species	Furbearer species, including unknown species
Active.hunters	Number of license holders that hunted furbearers with hounds
Active.hunters.SE	Standard error for the number of license holders that hunted furbearers with hounds
Hunter.days	Number of days spent hunting furbearers with hounds

Hunter.days.SE	Standard error for the number of days spent hunting furbearers with hounds
Days.per.Hunter	Ratio of the number of hunter days (with hounds) to the number of license holders that hunted furbearers with hounds
Days.per.Hunter.SE	Standard error for the ratio of the number of hunter days (with hounds) to the number of license holders that hunted furbearers with hounds
Total.harvest	Number of furbearers harvested by hunting with hounds
Total.harvest.SE	Standard error for the number of furbearers harvested by hunting with hounds
Mean.harvest	Ratio of the number of furbearers harvested by hunting with hounds to the number of license holders that hunted furbearers with hounds
Mean.harvest.SE	Standard error for the ratio of the number of furbearers harvested by hunting with hounds to the number of license holders that hunted furbearers with hounds
Successful.hunters	Number of license holders that hunted furbearers with hounds and harvested at least one furbearer
Successful.hunters.SE	Standard error for the number of license holders that hunted furbearers with hounds and harvested at least one furbearer
Percent.success	Ratio of the number of license holders that hunted furbearers with hounds and harvested at least one furbearer to the total number of license holders that hunted furbearers with hounds
Percent.success.SE	Standard error for the ratio of the number of license holders that hunted furbearers with hounds and harvested at least one furbearer to the total number of license holders that hunted furbearers with hounds
Percent.composition.harvest	Ratio of the total harvest of a particular species by hunting with hounds to the total harvest of all furbearer species due to hunting with hounds in given location
Percent.composition.harvest.SE	Standard error for the ratio of the total harvest of a particular species by hunting with hounds to the total harvest of all furbearer species due to hunting with hounds in given location
harvest.1.pct	Percent of successful hunters (with hounds) that harvested 1 animal
harvest.1.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 1 animal
harvest.2-3.pct	Percent of successful hunters (with hounds) that harvested 2-3 animals
harvest.2-3.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 2-3 animals
harvest.4-6.pct	Percent of successful hunters (with hounds) that harvested 4-6 animals
harvest.4-6.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 4-6 animals
harvest.7-10.pct	Percent of successful hunters (with hounds) that harvested 7-10 animals
harvest.7-10.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 7-10 animals
harvest.11-15.pct	Percent of successful hunters (with hounds) that harvested 11-15 animals
harvest.11-15.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 11-15 animals
harvest.16-21.pct	Percent of successful hunters (with hounds) that harvested 16-21 animals
harvest.16-21.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 16-21 animals
harvest.22-29.pct	Percent of successful hunters (with hounds) that harvested 22-29 animals
harvest.22-29.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 22-29 animals
harvest.>29.pct	Percent of successful hunters (with hounds) that harvested 30 or more animals
harvest.>29.pct.SE	Standard error for the percent of successful hunters (with hounds) that harvested 30 or more animals